

From: [Walls \(Young\), Suzy](#)
To: [Mitchell, Tanya](#)
Cc: [Persico, John](#)
Subject: RE: Rolling Knolls - FCR-09 Proposed Analyses at Existing Wells
Date: Tuesday, July 07, 2015 12:07:05 PM

Hi Tanya – I'm not in a good place to talk and won't be for the next few hours. I will try to call you later this afternoon but it might be better if you could talk to John or email me your questions. I'm just not sure what my schedule will be today.

Sorry for the inconvenience.

Suzy

From: Mitchell, Tanya [<mailto:Mitchell.Tanya@epa.gov>]
Sent: Tuesday, July 07, 2015 9:22 AM
To: Walls (Young), Suzy
Subject: RE: Rolling Knolls - FCR-09 Proposed Analyses at Existing Wells

Hi Suzy,

I have a few questions. Can you give me a call.

Thanks,

Tanya

From: Walls (Young), Suzy [<mailto:Suzy.Walls@arcadis-us.com>]

Sent: Monday, July 06, 2015 5:04 PM

To: Mitchell, Tanya

Cc: Gary M. Fisher; Draikiwicz, Michael; ' (pete.bergeron@chevron.com)'; Persico, John; Ricci, Richard F.; mfaigen@issuesllc.com; Guthertz, Andrew

Subject: RE: Rolling Knolls - FCR-09 Proposed Analyses at Existing Wells

Tanya,

The revised FCR-09 is attached for your review. I have included both a RLSO version and a clean version.

The Group has decided to sample all existing monitoring wells (MW-1 through MW-10 and X-1 through X-7) for the full TCL/TAL parameter list. This change is reflected in the attached FCR. We have also noted that MW-13 will be replaced with pore-water sampling and we have removed it from Figure 1.

Please let me know if you have any comments or questions.

Thanks,

Suzy

From: Mitchell, Tanya [<mailto:Mitchell.Tanya@epa.gov>]

Sent: Tuesday, June 30, 2015 3:28 PM

To: Walls (Young), Suzy

Cc: Gary M. Fisher; Draikiwicz, Michael; ' (pete.bergeron@chevron.com)'; Persico, John

Subject: RE: Rolling Knolls - FCR-09 Proposed Analyses at Existing Wells

Confirmation of this email is requested.

Suzy,

I have reviewed FCR-09 and it is not approved as submitted. Please update FCR-09 to reflect that MW-13 has been changed to pore water samples. The purpose of the FCR-09 is to document the additional MW that will be sampled during the second phase. EPA's position on MW sampling parameters shall remain the same as documented in Table 1 of the approved Data Gaps SAP dated

November 2014. Please revise FCR-09 and the attached Table as noted. In addition, there is some concern regarding MW-10. Please clarify if this MW will be sampled during the second phase of sampling.

Please note that all changes to the SAP/ QAPP must be approved by EPA. Thus, no sampling and/or field activities associated with FCRs should occur prior to EPA's approval of the FCR.

A revised FCR-09 is requested within three days of receipt of this email. Should you have any questions or concerns regarding this email, please notify me upon receipt of this email.

Regards,

Tanya

From: Walls (Young), Suzy [<mailto:Suzy.Walls@arcadis-us.com>]

Sent: Wednesday, June 10, 2015 5:35 PM

To: Mitchell, Tanya

Cc: Ricci, Richard F.; Gary M. Fisher; Draikiwicz, Michael; ' (pete.bergeron@chevron.com)'; mfaigen@issuesllc.com; Persico, John; Gutherz, Andrew

Subject: Rolling Knolls - FCR-09 Proposed Analyses at Existing Wells

Tanya,

The Field Change Request for the selection of analyses at existing monitoring wells during the second round of groundwater sampling is attached. Please let me know if you have any questions or comments.

Thanks,

Suzy

Suzy Walls | Ecologist / Certified Project Manager | suzy.walls@arcadis-us.com

ARCADIS U.S., Inc. | 114 Lovell Road, Suite 202 | Knoxville, TN, 37934

T. 865.777.3502 | M. 919.455.5413 | F. 865.675.6712

www.arcadis-us.com



This e-mail and any files transmitted with it are the property of ARCADIS U.S., Inc., and its affiliates. All rights, including without limitation copyright, are reserved. The proprietary information contained in this e-mail message, and any files transmitted with it, is intended for the use of the recipient(s) named above. If the reader of the e-mail is not the intended recipient, you are hereby notified that you have received this e-mail in error and that any review, distribution or copying of this e-mail or any files transmitted with it is strictly prohibited. If you have received this e-mail in error, please notify the sender immediately.

This e-mail and any files transmitted with it are the property of ARCADIS U.S., Inc., and its affiliates. All rights, including without limitation copyright, are reserved. The proprietary information contained in this e-mail message, and any files transmitted with it, is intended for the use of the recipient(s) named above. If the reader of the e-mail is not the intended recipient, you are hereby notified that you have received this e-mail in error and that any review, distribution or copying of this e-mail or any files transmitted with it is strictly prohibited. If you have received this e-mail in error, please notify the sender immediately.